

# UE 70W Series

## I.T.E./AV AC/DC Adaptor




▲ UEA370



▲ UEB370



■ Please contact our sales department for safety standard of each model.



### Product Highlights

- Stability
- Energy Efficiency
- Suit LCD Display, Laptop Computer, Multimedia Player, etc

### Protection

- Short Circuit Protection
- Over Voltage Protection
- Over Current Protection

### Safety Standard

- 62368-1
- PSE 別表第八

### Efficiency

- Energy Efficiency Level V

### Emissions

- FCC Part 15 Class B
- VCCI Class B
- BS EN 55032
- CE CISPR 32 EN55032

### Immunity

- EN 55035
- BS EN 55035

## Electrical Spec

Input					
Description	Min.	Typ.	Max.	Units	Comment
Voltage	90	100~240	264	Vac	
Frequency	47	50/60	63	Hz	

Environmental					
Description	Min.	Typ.	Max.	Units	Comment
Operating Temperature	0	-	40	°C	Free Convection,Sea Level
Storage Temperature	-20	-	65	°C	Free Convection,Sea Level
Operating Humidity	5	-	95	%RH	No Condensing
Storage Humidity	5	-	95	%RH	No Condensing


## Typical model list

No.	DC Output Voltage	DC Output Current	Output Voltage Precision	Ripple	Noise	Option/Remark
1	12.0V	6.0A	±5%	120mV	240mV	
2	19.0V	3.8A	±5%	190mV	380mV	
3	24.0V	3.0A	±5%	300mV	300mV	

■ Measurement Condition

1. Measurements shall be made with an oscilloscope with 20MHz bandwidth.
2. Outputs shall be bypassed at the connector with a 0.1uF ceramic disk capacitor and a 10uF electrolytic capacitor to simulate system loading.

## Mechanical Spec



■ Please contact our sales department for details of each model ■